



# PRODUCT GUIDE



2018





<b>QUIVERS</b>	<b>page 2 - 11</b>
<b>BACKPACKS</b>	<b>page 12 - 18</b>
<b>SOFT CASES T/D</b>	<b>page 19 - 22</b>
<b>CASES FOR T/D</b>	<b>page 23 - 24</b>
<b>SOFT CASES CPD</b>	<b>page 25 - 26</b>
<b>CPD CASES</b>	<b>page 27 - 30</b>
<b>COVERS</b>	<b>page 31 - 32</b>
<b>ARMGUARDS</b>	<b>page 33 - 35</b>
<b>CHESTGUARDS</b>	<b>page 36</b>
<b>TABS</b>	<b>page 37 - 38</b>
<b>SLINGS</b>	<b>page 39 - 40</b>
<b>RESTS</b>	<b>page 41 - 42</b>
<b>ACCESSORIES</b>	<b>page 43 - 44</b>
<b>STRINGS</b>	<b>page 45</b>
<b>SIGHTS</b>	<b>page 46 - 52</b>
<b>STABILIZERS</b>	<b>page 53 - 59</b>
<b>BOWSTANDS</b>	<b>page 60 - 63</b>
<b>ARROW PULLERS</b>	<b>page 64</b>
<b>TOOLS</b>	<b>page 65 - 68</b>
<b>TARGETS</b>	<b>page 69 - 71</b>
<b>TARGET STANDS</b>	<b>page 72 - 74</b>



## A<sup>2</sup>

### SPECIFICATION

- Weight: 174 gr.
- Length: 46 cm
- Direction: RH and LH
- Features: Two tubes, Incl. attachment hook, ambidextrous





**A<sup>3</sup>**

**SPECIFICATION**

- Weight: 249 gr.
- Length: 46 cm
- Direction: RH and LH
- Features: Three tubes, Incl. attachment hook, side pocket, ambidextrous





# TYRO

## SPECIFICATION

- Weight: 319 gr.
- Length: 46 cm
- Direction: RH or LH
- Features: Three tubes, one large pocket, slot for pen & T-gauge, D-loop to hook your keychain/arrow puller





# CLASSIC

## SPECIFICATION

- Weight: 427 gr.
- Length: 46,5 cm
- Direction: RH or LH
- Features: Three tubes, three pockets, slot for pen & T-gauge, two D-loop rings to hook your accessories, belt included, clip for accessories







**ECO BELT WEBBING  
ADJUSTABLE**



**SPECIFICATION**

- One size fit all



# TEC ONE

## SPECIFICATION

- Weight: 694 gr.
- Length: 46 cm
- Direction: RH or LH
- Features: Molded rubber arrow separator to prevent 'arrow wearing', four pockets, slot for pen & T-gauge, two D-loop rings to hook your accessories, deluxe belt included, clip for accessories





# TEC X

## SPECIFICATION

- Weight: 854 gr.
- Length: 44 cm
- Direction: RH or LH
- Features: Molded rubber arrow separator to prevent 'arrow wearing', three pockets, slot for pen & T-gauge, two D-loop rings to hook your accessories, deluxe belt included.





# TEC ONE FIELD

## SPECIFICATION

- Weight: 469 gr.
- Length: 40 cm
- Direction: RH or LH
- Features: Two sounddamping seperators, two pockets, slot for pen, slot for t-gauge, two D-loop rings, belt included.





## TEC X FIELD

### SPECIFICATION

- Weight: 540 gr.
- Length: 44 cm
- Direction: RH or LH
- Features: Molded rubber arrow separator to prevent 'arrow wearing', three pockets, slot for pen, two D-loop rings to hook your accessories, deluxe belt included, clip for accessories







## SPECIFICATION

- Release or Finger Tab Pouch
- Durable Diamond Fabric
- Ultra Soft Fleece lining
- Quick draw closure
- Inner divider separator
- Webbed loop to easily attach to a belt





# TYRO

## SPECIFICATION

- Dimensions: 70cm H x 30cm W x 13cm D
- Internal riser and limb sleeve
- Arrow cannister incl.
- Multiple inner pockets
- HD zipper for easy access





## CLASSIC

### SPECIFICATION

- Dimensions: 72cm H x 33cm W x 14cm D
- Removable three compartment riser and limb case
- Quick top access to riser and limb case
- Arrow cannister incl.
- Easy access oversized pocket with multiple compartments for accessories
- Hideaway backpack straps
- Up to 25" riser length









# TEC ONE

## SPECIFICATION

- Dimensions: 74cm H x 31cm W x 19cm D
- Removable three compartment riser and limb case
- Quick top access to riser and limb case
- Internal protection divider
- Arrow cannister incl.
- Easy access oversized pocket with multiple compartments for accessories
- Hideaway backpack straps
- Up to 27" riser length
- Seperate stabilizer storage
- External rain cover









## HARD SHELL

### SPECIFICATION

- Dimensions: 78cm H x 34cm W x 16cm D
- Hard shell for better protection
- Removable three compartment riser and limb case
- Hideaway backpack straps
- Up to 27" riser length
- Separate stabilizer storage
- Easy access oversized pocket with
- Arrow cannister incl.





# FIELD PLAY

## SPECIFICATION

- Dimensions: 50cm L x 27cm W x 14cm D
- Twelve compartments and pockets
- Comfort molded foam back pad
- Side mesh storage pockets with four lateral compression straps to secure load
- Heavy duty zippers
- Front elastic bands to hold light gear or clothing





## TYRO A<sup>2</sup>

### SPECIFICATION

- Dimensions: 80cm L x 25cm W
- Individual storage for risers and limbs
- External accessories pocket
- Side storage for arrows





## TYRO A<sup>3</sup>

### SPECIFICATION

- Dimensions: 70cm L x 30cm W
- Individual storage for risers and limbs
- Arrow canister included





**SPECIFICATION**

**TYRO  
SNAP**

- Dimensions: 77cm L x 19cm W
- Folds for compact storage
- Shoulder strap
- Arrow cannister included
- Individual storage for riser and limbs
- Easy access and specific compartments for sights, stabilizers and small accessories





**SPECIFICATION**

# CLASSIC FIRST

- Dimensions: 89cm L x 35cm H
- Shoulder strap
- Arrow cannister included
- Individual storage for riser and limbs
- Easy acces and specific compartments for sights, stabilizers and small accessories





## SPECIFICATION

- Dimensions: 86cm L x 34cm W x 13cm D (outer)
- Weight: 2,8 kg
- Lightweight design
- Customizable foam interior
- Holds up to 13 arrows
- Closes with two slide latches

# TYRO A<sup>3</sup>





# TEC ONE ABS

## SPECIFICATION

- Dimensions: 86cm L x 36cm W x 23cm D (outer)
- Weight: 7,7 kg
- ABS construction
- Incl. wheels, pull handle and carry handle
- Interior compartments for well-organized storage
- Cushion protection pads
- Combination lock





## TYRO A<sup>3</sup>



### SPECIFICATION

- Dimensions: 116cm L x 38cm W x 10.5cm D
- Full size arrow box pocket
- External accessories pocket
- Shoulder strap



## CLASSIC



### SPECIFICATION

- Dimensions: 106cm L x 38cm W x 10.5cm D  
116cm L x 38cm W x 10.5cm D  
126cm L x 38cm W x 10.5cm D
- Full size arrow box pocket
- External accessories pocket
- Backpack carrying straps
- Shoulder strap
- Internal cam protection pads





# **AVALON** ARCHERY **SOFT CASE COMPOUND**





## ***Tec X PRO 116***

### **SPECIFICATION**

- Weight: 7.3kg
- Dimension: 116cm L x 40cm W x 24cm D
- The easiest way to travel with your bow
- Features: Interior padding for protection  
Incl. name tag  
with two wheels for easy carrying









# **Tec X FLASH**

## **SPECIFICATION**

- Dimensions: 112cm L x 29cm W x 35cm D
- Weight: 5 kg
- Carry up bows to 41"
- Easy opening
- Could fit 1 or 2 bows
- Multiple accessory pockets inside
- Large accessory pocket on each side
- Included hideaway backpack slings
- Lower corner protection
- With wheels for easy carrying





## Bow Bunker

### SPECIFICATION

- Weight: 9.7kg
  - Dimension: 113cm L x 46cm W x 18cm D
- One of the strongest cases in it's price.
- Features: Interior padding for protection  
Incl. name tag  
with two wheels for easy carrying





## COVER FOR CAM/STRING PROTECTION



### SPECIFICATION

- Material: Neoprene
- Features: Fits 30" up to 44" compound bows, protects string, cables and cams, Incl. carrier

## COVERS FOR COMPOUNDS AND ACCESSORY



### SPECIFICATION

- Material: Nylon
- Features: Fits up to 43" compound bows, protects string, cables and cams
- Internal soft padded lining for protection

## COVER FOR RISER



### SPECIFICATION

- Dimensions: 75cm L x 18cm W
- Made from durable honeycomb fabric
- Internal soft padded lining for protection
- Fits 23" - 25" - 27" risers
- Ultimate riser protection

## COVER FOR LIMBS



### SPECIFICATION

- Dimensions: 75cm L x 9cm W
- Made from durable honeycomb fabric
- Internal soft padded lining for protection
- Ultimate limb protection

## COVER FOR LONG STABILIZER



### SPECIFICATION

- Dimensions: 100cm L x 14cm W
- Made from durable honeycomb fabric
- Internal soft padded lining for protection
- Fits up to 38" stabilizers
- Ultimate stabilizer protection



## COVER FOR SHORT STABILIZER



### SPECIFICATION

- Dimensions: 50cm L x 14cm W
- Made from durable honeycomb fabric
- Internal soft padded lining for protection
- Double compartment cover
- Fits two stabilizer up to 17"
- Ultimate stabilizer protection

## CASE FOR ACCESSORY AND SIGHT



### SPECIFICATION

- Dimensions: 35cm L x 18cm W x 11cm D
- Features: Semi-rigid for max. protection, four inside pockets, easy storage

## CASE FOR ACCESSORY AND SIGHT



### SPECIFICATION

- Dimensions: 33cm L x 18cm W x 3,5cm D
- Features: Heavy duty zipper, multiple inside pockets, easy storage

## TUBE FOR ARROWS



### SPECIFICATION

- Diameter: 9cm (outer)  
8cm (inner)
- Features: Incl. carry strap, telescopic, adjustable from 62cm to 102cm, protect arrows during transport



### SPECIFICATION

- Diameter: 8,5cm (outer)  
7,5cm (inner)
- Features: Incl. carry strap, telescopic, adjustable from 64cm to 100cm, protect arrows during transport



## SMALL

### SPECIFICATION

- Dimensions: 17cm L x 7cm W
- Fabric: Polyester 600D
- Features: two elastic clip buckles, single wired bars for protection, durable



## MEDIUM

### SPECIFICATION

- Dimensions: 17,5cm L x 8cm W
- Fabric: Polyester 600D
- Features: two elastic clip buckles, double wired bars for protection, durable





## LARGE

### SPECIFICATION

- Dimensions: 25cm L x 7,5cm W
- Fabric: Polyester 600D
- Features: Four elastic clip buckles, double wired bars for protection, durable



## XL

### SPECIFICATION

- Dimensions: 32,5cm L x 9cm W
- Fabric: Polyester 600D
- Features: Four elastic clip buckles, double wired bars for protection, durable





## STRETCHY GUARD



### SPECIFICATION

- Sizes: X-small, small, medium, large, X-large
- Fabric: Stretchable neoprene
- Features: Easy slip-on, reinforced, compression fit, lightweight, tapered rubber protection for better string clearance





# TEC ONE

## SPECIFICATION

- Sizes: X-small, small, medium, large, X-large, XX-large
- Direction: RH or LH
- Features: Soft foam padded, adjustable elastic strap, one touch buckle opening





## CLASSIC

### SPECIFICATION

- Direction: RH or LH
- Cow leather
- Aluminum frame
- Thumb or jaw support
- Adjustable pink ledge
- Adjustable finger spacers

SIZE	COLOR AVAILABLE
X SMALL	GREEN
SMALL	GOLD / PURPLE
MEDIUM	GREY / RED
LARGE	BLACK / BLUE
X LARGE	GREY



## LEATHER

### SPECIFICATION

- Direction: RH or LH
- Front and Backing leather tab



## SCREWS

### SPECIFICATION

- set with 3x small  
2x medium  
1x large








# TEC ONE

## SPECIFICATION

- Direction: RH or LH
- Cow leather
- Aluminum frame
- Thumb or jaw support
- Adjustable pink ledge
- Adjustable finger spacers




SIZE	COLOR AVAILABLE
X SMALL	GREEN
SMALL	GOLD / PURPLE
MEDIUM	GREY / RED
LARGE	BLACK / BLUE
X LARGE	GREY






SIZE	LENGHT
SMALL	11,5 CM
MEDIUM	12,5 CM
LARGE	13,5 CM
X LARGE	14,5 CM







## **TEC X**

### **SPECIFICATION**

- Braided Bowslings
- High-quality custom braid
- Extra length for maximum adjustability
- Easy to mount






## TYRO



### SPECIFICATION

- Direction: LH or RH
- Stick on arrow rest
- extremely durable

## CLASSIC AXIS



### SPECIFICATION

- Direction: LH or RH
- Precision made magnetic arrow rest
- Zero play and vibration, absolute precision
- Adjustable height for different shaft diameters
- Adjustable magnetic strength





## CLASSIC STD



### SPECIFICATION

- Direction: LH or RH
- Precision made magnetic arrow rest
- Zero play and vibration, absolute precision
- Adjustable height for different shaft diameters
- Adjustable magnetic strength

## TEC ONE ONSET

### SPECIFICATION

- Direction: LH or RH
- Launch tension independently adjustable from elevation
- Factory installed protection shafts







## TYRO


### SPECIFICATION

- Direction: Ambidextrous
- Features: Adjustable, stick on

## CLASSIC SCREW

### SPECIFICATION

- Direction: Ambidextrous
- Features: magnetic clicker, lightest side pressure



## CLASSIC SIGHT

### SPECIFICATION

- Direction: Ambidextrous
- Features: Adjustable, sight hole screw on, lightest side pressure





## TEC X

### SPECIFICATION

- Diameter: 30mm
- Diopter: .30, 50, 60, 70, 80
- Direction: Ambidextrous
- 10/32 thread



## CLASSIC

### SPECIFICATION

- Thread: 5/16
- Length: Adjustable 15mm to 32mm
- Features: Stainless steel barrel, large adjustability





## DACRON



### SPECIFICATION

- Length: 48" - 54" - 58" - 62" - 64" - 66" - 68" - 70"
- Strands: 12
- Material: Dacron
- Made by Stringflex

## CLASSIC



### SPECIFICATION

- Length: 66" - 68" - 70"
- Strands: 14 or 16
- Material: Fastflight
- Made by Stringflex

## DYNAGEN



### SPECIFICATION

- Length: 66" - 68" - 70"
- Strands: 14
- Material: Dynagen
- Made by Stringflex

## 8125G



### SPECIFICATION

- Length: 66" - 68" - 70"
- Strands: 16
- Material: BCY 8125
- Made by Stringflex

## BCY-X




### SPECIFICATION

- Length: 66" - 68" - 70"
- Strands: 20 or 22
- Material: BCY X
- Made by Stringflex



## TYRO



### SPECIFICATION

- Tough polymer and nylon
- Lightweight and durable
- Great introduction sight
- Windage and elevation adjustment
- Ring pin incl.

## TYRO METAL

### SPECIFICATION

- Beginner recurve sight
- Full aluminum construction
- 6" extension
- Windage and elevation adjustment
- 8/32 Ring pin incl.
- Incl. spare copper glider
- Removable aperture block
- RH and LH available












## CLASSIC METAL

### SPECIFICATION

- Beginner to intermediate recurve sight
- Full aluminum lightweight construction
- 9" extension
- Rapid elevation adjustment
- 8/32 Ring pin incl.
- Removable aperture block
- RH and LH available















**SPECIFICATION**

# TEC ONE

- Full aluminum construction
- Lightweight
- Quick release fast vertical adjustment
- 9" extension
- Windage and elevation adjustment
- 8/32 Ring pin incl.
- RH and LH available
- Removable aperture
- Incl. Soft case







## TEC ONE SIGHT PIN KIT

### SPECIFICATION

- 8/32

- Fits TEC-ONE sight





# TEC X



## SPECIFICATION





- Full aluminum construction
- Lightweight
- Quick release fast vertical adjustment
- 9" extension
- Windage and elevation adjustment
- 10/32 thread
- RH and LH available
- Removable head
- Incl. Soft case



## 3<sup>RD</sup> AXIS ADJUSTABLE REMOVABLE HEAD









## TYRO A<sup>3</sup>

### SPECIFICATION

- Diameter: 18mm
- Long stab. (x1): 28" or 30"
- Short stab. (x2): 10"
- V-bar: 45°
- Complete stabilizer set
- lightweight 100% carbon
- Incl. dampers (x3)
- Incl. cap weights (x3) and flat weight (x1)
- Ideal for beginners
- V-bar slides to allow for better balance



## CLASSIC

### SPECIFICATION

- Diameter: 18mm
- Size: 26", 28" or 30"
- Crossed carbon technology
- Incl. dampers
- Incl. cap weights and flat weight



### SPECIFICATION

- Diameter: 18mm
- Size: 10" or 12"
- Incl. dampers
- Incl. cap weights



### SPECIFICATION

- Diameter: 18mm
- Size: 3", 4" or 5"



# TYRO 17

## SPECIFICATION

- Diameter: 17mm
- Long stab. 26", 28" or 30"
- lightweight 100% carbon
- Incl. damper
- Incl. cap weight and flat weight



## SPECIFICATION

- Diameter: 17mm
- Long stab. 10" or 12"
- lightweight 100% carbon
- Incl. damper
- Incl. cap weight



## SPECIFICATION

- Diameter: 17mm
- Long extender. 3"



## SPECIFICATION

- Diameter: 18mm
- Size: 3", 4" or 5"



## TEC ONE

### SPECIFICATION

- Diameter: 18mm
- Size: 26", 28" or 30"
- Extra stiff hi-modulus carbon
- Incl. dampers
- Incl. cap weights and flat weight



### SPECIFICATION

- Diameter: 18mm
- Size: 10", 12" or 15"
- Incl. dampers
- Incl. cap weights



## SPECIFICATION

- Diameter: 22mm
- Size: 3", 4" or 5"

## TEC X OLYMPIC

### SPECIFICATION

- Diameter: 22mm
- Size: 28", 30" or 32"
- Hi-modulus carbon
- Incl. dampers
- Incl. cap weights and flat weight



### SPECIFICATION

- Diameter: 22mm
- Size: 10", 12" or 15"
- Incl. dampers
- Incl. cap weights





## TEC X

### SPECIFICATION

- Diameter: 21mm
- Size: 26", 28", 30", 32" or 34"
- Hi-modulus carbon
- Incl. dampers
- Incl. cap weights and flat weight



### SPECIFICATION



- Diameter: 21mm
- Size: 3", 4" or 5"

### SPECIFICATION



- Diameter: 21mm
- Size: 10", 12" or 15"
- Incl. dampers
- Incl. cap weights





## CLASSIC

### SPECIFICATION

- Anodized aluminum
- Included 5/16 bolt
- 40° x 0°



## TEC ONE

### SPECIFICATION

- Anodized aluminum
- Included 5/16 screw
- Quick detach 5/16 40° X 10°



## TEC X DUO

### SPECIFICATION

- Anodized aluminum
- Included 5/16 bolt
- Micro adjustable angle







## TEC X MONO

### SPECIFICATION

- Anodized aluminum
- Laser engraved
- Included 5/16 bolt
- Uni bar mount
- Internal locking shape



## TEC X

### SPECIFICATION

- Quick and easy stabilizer removal



## TEC X PRO

### SPECIFICATION

- Quick and easy one-hand fix.
- Comes with long (31mm) and short (15mm) base screw.
- Lightweight and ergonomic design.

### SPECIFICATION

- Diameter: 26mm (base 19mm)
- Thread: 1/4"
- Reduces noises and vibrations
- Easy to install
- Threads on any stabilizer with 1/4" ends

# CONTROL DAMPER





## TEC ONE



### SPECIFICATION

- Diameter: 29mm (base 22mm)
- Thread: 1/4"
- Reduces noises and vibrations
- Easy to install
- Threads on any stabilizer with 1/4" ends

## TEC X MODULATE



### SPECIFICATION

- Diameter: 1,5"
- Thread: 5/16"
- Reduces noises and vibrations
- Anodized
- Threads on 5/16" riser

### TEC X CAP



21mm / 35gr

### TEC X FLAT



21mm / 29gr

### CAP WEIGHT




22mm / 50gr

### FLAT WEIGHT



22mm / 34gr

### CAP WEIGHT



19mm / 42gr

### FLAT WEIGHT



19mm / 45gr

### FLAT WEIGHT



19mm / 26gr



## A<sup>3</sup>

### SPECIFICATION

- Dimensions: 36cm L x 5cm W x 5cm D
- Weight: 150 gr.
- Features: Lightweight aluminum, magnetic, anodized colors



## CLASSIC

### SPECIFICATION

- Dimensions: 44cm L x 5cm W x 5cm D
- Weight: 221 gr.
- Features: Lightweight aluminum, quick fold/unfold, flexible bowholder





## CLASSIC HYBRID

### SPECIFICATION

- Dimensions: 65cm L x 6cm W x 6cm D
- Weight: 400 gr.
- Lightweight aluminum
- Quick fold/unfold
- Screwable lock system
- Anodized colors
- Two different ways of use. Either horizontal or diagonal bow position.
- Durable construction





## **COLA**

### **SPECIFICATION**

- Dimensions: 35cm L x 6cm W x 6cm D
- Weight: 476 gr.
- Quick fold/unfold
- Butterfly nut lock system
- Stainless steel
- Extremely stable and solid bowstand



## **TEC ONE**

### **SPECIFICATION**

- Dimensions: 38,5cm L x 7cm W x 7cm D
- Weight: 399 gr.
- Features: Machined aluminum, high durability, quick fold/unfold, unfold locking system, incl. protection bag, durable construction







## PRO POD

### SPECIFICATION

- Dimensions: 22cm L x 11cm W x 1 cm D
- Weight: 100 gr.
- Features: Spring loaded folding, rubber insert for limb protection, lightweight and durable



## DUAL POD

### SPECIFICATION

- Dimensions: 19cm L x 10,5cm W x 2cm D
- Weight: 93 gr.
- Features: Spring loaded folding, rubber insert for limb protection, lightweight and durable







## GRASPER

### SPECIFICATION

- Dimensions: 8,5cm L x 4cm W
- Material: Rubber
- Incl.: Elastic cord
- Works for smaller and larger dia. arrows
- Shaped for a good grip







## **PILCO PRO**

### **SPECIFICATION**

- Nockset plier
- Nockset opener
- Sturdy grip
- Easy to use



## **ANNEX**

### **SPECIFICATION**

- Nockset plier
- 8 up to 14 strands
- Sturdy grip



## **D-LOOP PLIER**

### **SPECIFICATION**

- Comfortable gripping handle for easy use
- Easily makes any size D-loops
- Stretches D-loop so it does not move on you
- Three notches to perfectly make a D-loop every time





## STRING JIG

### SPECIFICATION

- Basic



### SPECIFICATION

- Professional



## MAGNETO FLETCH

### SPECIFICATION

- Straight clamp only
- Lightweight aluminum construction
- Scale for feather placement
- Engraved
- Can be used for 3, 4 or 6 fletches
- Magnetic





## TUNING KIT



### SPECIFICATION

- Basic archery tuning kit for recurves
- One Avalon Tyro stick-on arrow rest
- One brace height gauge
- One Avalon Annex nockset plier
- Two nocksets

## GAUGE

### SPECIFICATION

- Metric and inch markings
- Metal string clips
- Perfect tool for nockset placement, brace and tiller checking, lazer engraving





## PRO SERVER

### SPECIFICATION

- Works with all kind of threads and standard spools
- Simple and effective



## BOWSTRINGER

### SPECIFICATION

- Limb friction design
- Rubber friction pad for safe, secure grip
- Quality sewn polypropylene strap
- No knots possible





## 60x60x21 STD FOAM CENTER

### SPECIFICATION

- Dimensions: 60x60x21 cm
- Layered target with mixed soft and hard layers
- Lightweight
- Sandwich foam center
- 30cm diameter center
- A great target for recurve and compound use



## 60x60x21 DURAFOAM CENTER

### SPECIFICATION

- Dimensions: 60x60x21 cm
- Layered target with mixed soft and hard layers
- Lightweight
- Next generation Durafoam center
- 30cm diameter center
- A great target for recurve and compound use



## 60x60x7

### SPECIFICATION

- Dimensions: 60x60x7 cm
- Layered target with mixed soft and hard layers
- Lightweight
- A great target for all archery leisure activities



## 60x60x21

### SPECIFICATION

- Dimensions: 60x60x21 cm
- Layered target with mixed soft and hard layers
- Lightweight
- A great target for recurve and compound use







## 90x90x21 STD FOAM CENTER

### SPECIFICATION

- Dimensions: 90x90x21 cm
- Layered target with mixed soft and hard layers
- Lightweight
- Sandwich foam center
- 30cm diameter center
- A great target for recurve and compound use



## 90x90x21 DURAFoam CENTER

### SPECIFICATION

- Dimensions: 90x90x21 cm
- Layered target with mixed soft and hard layers
- Lightweight
- Next generation Durafoam center
- 30cm diameter center
- A great target for recurve and compound use



## 90x90x7

### SPECIFICATION

- Dimensions: 90x90x7 cm
- Layered target with mixed soft and hard layers
- Lightweight
- A great target for all archery leisure activities



## 90x90x14

### SPECIFICATION

- Dimensions: 90x90x14 cm
- Layered target with mixed soft and hard layers
- Lightweight
- A great target for all archery leisure activities




## 90x90x21

### SPECIFICATION

- Dimensions: 90x90x21 cm
- Layered target with mixed soft and hard layers
- Lightweight
- A great target for recurve and compound use






## TARGET STRIPS IN FOAM

### SPECIFICATION

- Dimensions: 90x33x30 cm
- Lightweight
- For making your own targets



## LAYERED STRIPS TARGET

### SPECIFICATION

- Dimensions: 45x45x30 cm
- Lightweight
- Layered w/pack band
- A great target to shoot everywhere



## PRINTED FOAM TARGET

### SPECIFICATION

- Dimensions: 60x60x20 cm
- Lightweight
- Printed color target
- A great target for leisure use

## STANDARD FOAM CENTER

### SPECIFICATION

- Dimensions: Dia.30x21 cm
- Lightweight
- Sandwich foam center
- 30cm diameter center
- A great center for recurve and compound use



## DURAFOAM CENTER

### SPECIFICATION

- Dimensions: Dia.30x21 cm or 30x17 cm
- Lightweight
- Next generation Durafoam center
- 30cm diameter center
- A great center for recurve and compound use





## METAL SMALL

### SPECIFICATION

- Dimensions: H113xW50xD30 cm (assembled)
- Target stands with 4 legs
- Fits a 60 to 70 cm target
- Delivered unassembled
- Incl. instructional manual
- Easy to install
- Excellent target stand for leisure use



## METAL LARGE

### SPECIFICATION

- Dimensions: H133xW70xD30 cm (assembled)
- Target stands with 4 legs
- Fits a 80 to 90 cm target
- Delivered unassembled
- Incl. instructional manual
- Easy to install
- Excellent target stand for leisure use






## WOOD SMALL

### SPECIFICATION

- Height: 130 cm (assembled)
- Target stands with 3 legs
- Fits a 60 cm target
- Delivered unassembled
- Incl. instructional manual
- Easy to install



## WOOD LARGE

### SPECIFICATION

- Height: 165cm (assembled)
- Target stands with 3 legs
- Fits a 70 to 130 cm target
- Delivered unassembled
- Incl. instructional manual
- Easy to install






## WOOD LARGE HD

### SPECIFICATION

- Height: 187cm (assembled)
- Target stands with 4 legs
- Fits a 80 to 130 cm target
- Delivered unassembled
- Incl. instructional manual
- Easy to install



## TARGET PIN METAL

### SPECIFICATION

- Length: 7,5cm
- Features: Stainless steel
- 6 pack







DISTRIBUTED BY  
**SSA SPORTING GOODS**  
**NV - NERINGSTRAAT 2**  
**8370 BLANKENBERGE**  
**BELGIUM**

**PHONE +32 50 42 72 40 - FAX +32 50 42 72 45**  
**INFO@SSA-ARCHERY.BE**



[WWW.ARCHERSGEAR.COM](http://WWW.ARCHERSGEAR.COM)

[WWW.FACEBOOK.COM/ARCHERSGEARCOM](http://WWW.FACEBOOK.COM/ARCHERSGEARCOM)



[WWW.INSTAGRAM.COM/ARCHERSGEAR](http://WWW.INSTAGRAM.COM/ARCHERSGEAR)



FASTFLIGHT IS A TRADEMARK OF BROWNELL & CO., INC.

AVALON RESERVES THE RIGHT TO MODIFY, CHANGE OR DISCONTINUE PRODUCTS SHOWN IN THIS CATALOG WITHOUT NOTICE.